

I'll Let Myself In

Tactics of Physical Pen Testers



Deviant Ollam

My Job is Fun



We Don't Belong in Here!




People Want to Do This




People Know Me as a Lockpicker




People Know Me as a Lockpicker




People Know Me as a Lockpicker




People Know Me as a Lockpicker




People Know Me as a Lockpicker



People Know Me as a Lockpicker




People Know Me as a Lockpicker



But Why Pick When You Can Bypass?



Hinge Removal



Hinge Removal



Hinge Removal



Security Hinges & Jamb Pin Screws



Security Hinges & Jamb Pin Screws



Security Hinges & Jamb Pin Screws



Security Hinges & Jamb Pin Screws




Security Hinges & Jamb Pin Screws




Security Hinges & Jamb Pin Screws



Door Latch Attacks



Door Latch Attacks



Door Latch Attacks




Door Latch Attacks




Protective Plates?




Dead Latches



Dead Latches




Dead Latches




Dead Latches




Dead Latches




Dead Latches



Dead Latches




Dead Latches



Dead Latches Rely on Proper Door Fitment



Dead Latches Rely on Proper Door Fitment



Dead Latches Rely on Proper Door Fitment



Dead Latches Rely on Proper Door Fitment



Dead Latches Rely on Proper Door Fitment



Dead Latches Rely on Proper Door Fitment



Crash Bars



Crash Bars



Crash Bars



Crash Bars



Exit Paddles




Look Again at this Crash Bar



Deadbolt with Thumb Turn



Thumb Turn Flipper



Thumb Turn Flipper



Thumb Turn Flipper



Thumb Turn Flipper



Thumb Turn Flipper



Thumb Turn Flipper




Thumb Turn Flipper



Thumb Turn Flipper



Door Edge Gaps



Door Edge Gaps



Door Edge Gaps



Door Edge Gaps



Door Edge Gaps and REX Sensors




Request-to-Exit (REX) Sensors



Request-to-Exit (REX) Sensors



Request-to-Exit (REX) Sensors



Modern Door Lever Style Handles



Under Door Attacks



Under Door Attacks




Under Door Attacks



Under Door Attacks




Under Door Attacks



Under Door Attack Prevention — Dynamic Door Bottom




Under Door Attack Prevention — Security Door Bottom



Going Over the Top



Attack Prevention



Attack Prevention



Attack Prevention



Attack Prevention



Attack Prevention



Attack Prevention



Attack Prevention

www.homedepot.com/p/Prime-Line-1-in-High-White-Adjustable-Bypass-Door-Guide-N-6760/202636734

Home Services DIY Projects & Ideas Credit Services Pro Xtra Store Finder Order Status Local Ad


Products and Services What can we help you find? Your Store E Hanover Sign in or Register

Home / Tools & Hardware / Hardware / Door Knobs & Hardware / Closet & Pocket Door Hardware / Pocket Door Hardware

Prime-Line Model # N 6760 Internet # 202636734

1 in. High White Adjustable Bypass Door Guide

★★★★★ (1) Write a Review Questions & Answers (1)



Open Expanded View Click Image to Zoom

\$3.56 /each

☒ **Ship to Home FREE with \$45 Order**
Estimated Arrival: AUG 24
See Shipping Options

☐ **Ship to Store FREE**
Available for Pick Up: AUG 23 - AUG 26

1 **Add To Cart**

Save To My List






OR Buy now with **PayPal**

Item cannot be shipped to the following state(s):
GU, HI, AK, VI, PR

Product Not Sold In Stores

Recommended Items Product Overview Specifications Questions & Answers Customer Reviews

CUSTOMERS WHO VIEWED THIS ITEM BOUGHT ...

 \$2.57 /each Prime-Line Nylon/Steel Bypass Door Guide...	 \$4.16 /each Prime-Line 1 in. H Bi-Pass Dark Brown Door...	 \$3.87 /each Prime-Line 1 in. H Tan Closet Door...	 \$2.67 /each Prime-Line Sliding Wardrobe Door Nylon...	 \$4.24 /each Prime-Line Adjustable Floor-Mounted Bottom...
---	---	--	---	---

Attack Prevention



Hilarious Avenues of Access



Stealing Keys



Stealing Keys



Stealing Keys




Key Boxes



Telephony Access Control Boxes



Telephony Access Control Boxes



Telephony Access Control Boxes




Keyed-Alike Systems



Keyed-Alike Systems

← → ↻ <https://www.gatehousesupplies.com/Linear-key-p/key%20linear.htm> ☆ 📄 🌐 🛒

**gatehouse**
REMOTE CONTROLS & ENTRY SYSTEMS

Parts@gatehousesupplies.com

View Cart | My Account / Order Status | Help 🛒 0 Item

HOME PRODUCTS MANUFACTURERS OUR BRANDS CONTACT US

Search.. 🔍



We Will Find You The
BEST SHIPPING RATES



Need Help? Contact
866-965-5599



**HUGE SALE ON GARAGE DOOR
AND GATE EQUIPMENT**



Home > Select Products > **Gate Operators & Accessories** > Keypads , Card Readers and Fire Boxes >



A126



A126 Linear Key

Availability:: in stock

Product Code: KEY LINEAR

Product Price: \$5.24

Qty:

ADD TO CART 🛒



Like 0

Share

[View Quantity Discounts](#)

Description

Key for Linear Products

Features


Key for Linear Products

help

Keyed-Alike Systems



Keyed-Alike Systems



Keyed-Alike Systems



Shop by category ▾

Search...

All Categories ▾

Search

Advanced



Back to home page | Listed in category: [Business & Industrial](#) > [MRO & Industrial Supply](#) > [Safety & Security](#) > [Industrial Fire Protection](#) > [Fire Alarms](#)

People who viewed this item also viewed



Door King 16120
Double Sided Key
\$11.95
Free shipping



Manufacturer
Original PK625...
\$9.99
Free shipping



Misc. Fire and
Security Key Lo...
\$21.00
+ \$2.25



Misc. Fire and
Security Key Lo...
\$41.00
+ \$2.50



Door King 16120 Double Sided Key

Item condition: **New**

Quantity:

1

3 available / **27 sold**

Price: **US \$14.95**

Buy It Now

Add to cart

Best Offer:

10 watching

Make Offer

[Add to watch list](#)

[Add to collection](#)

27 sold

More than 89% sold

Free shipping

[Email](#) [Facebook](#) [Twitter](#) [Pinterest](#) | [Add to watch list](#)

Seller information

aghareza2010 (123 ★)

100% Positive feedback


[Follow this seller](#)

[See other items](#)

Keyed-Alike Systems



Keyed-Alike Systems



Keyed-Alike Systems




Keyed-Alike Systems




Keyed-Alike Systems




Keyed-Alike Systems




Keyed-Alike Systems



Keyed-Alike Systems



Keyed-Alike Systems



Keyed-Alike Systems

"A" Button Input. A closure between terminals 12 and 6 will dial the phone number stored under directory code 0, 00, 000 or 0000.

Relay 2 Common – 30 Volt, 3 Amp max.


Relay 2 Contact – 30 Volt, 3 Amp max.

Relay 1 Common – 30 Volt, 3 Amp max.

Relay 1 Normally Closed – 30 Volt, 3 Amp max.

Relay 1 Normally Open – 30 Volt, 3 Amp max.

Microphone Power and Back-up Battery POSITIVE for Phone System Only. (connect negative to terminal 6)



Keyed-Alike Systems

"A" Button Input. A closure between terminals 12 and 6 will dial the phone number stored under directory code 0, 00, 000 or 0000.

Relay 2 Common – 30 Volt, 3 Amp max.


Relay 2 Contact – 30 Volt, 3 Amp max.

Relay 1 Common – 30 Volt, 3 Amp max.

Relay 1 Normally Closed – 30 Volt, 3 Amp max.

Relay 1 Normally Open – 30 Volt, 3 Amp max.

Microphone Power and Back-up Battery POSITIVE for Phone System Only. (connect negative to terminal 6)



Keyed-Alike Systems

"A" Button Input. A closure between terminals 12 and 6 will dial the phone number stored under directory code 0, 00, 000 or 0000.

Relay 2

Common – 30 Volt, 3 Amp max.

Relay 2

Contact – 30 Volt, 3 Amp max.

Relay 1

Common – 30 Volt, 3 Amp max.


Relay 1

Normally Closed – 30 Volt, 3 Amp max.


Relay 1

Normally Open – 30 Volt, 3 Amp max.


Microphone Power and Back-up Battery POSITIVE for Phone System Only. (connect negative to terminal 6)




Keyed-Alike Systems



Keyed-Alike Systems



Keyed-Alike Systems



Keyed-Alike Systems

800 ft. max. with 24 AWG wire.
1600 ft. max. with 22 AWG wire.
(Wiring **MUST** be twisted and completely isolated from the ground)

Phone Line Connection (Ring)

Phone Line Connection (Tip)

Switch Input. A closure between terminals 4 and 6 will cause the designated relay(s) to activate for the programmed strike time – see 3.2.7. External Postal Switch is connected here, section 1.4.

Common for switch input #4, Microphone,
Speaker and Back-up Battery NEGATIVE.

Speaker Output.

(Not used).

(Not used).

(Not used).

“Z” Button Input. A closure between terminals 11 and 6 will dial the phone number stored under directory code 1, 01, 001 or 0001.

“A” Button Input. A closure between terminals 12 and 6 will dial the phone number stored under directory code 0, 00, 000 or 0000.

Relay 2 Common – 30 Volt, 3 Amp max.

Relay 2 Contact – 30 Volt, 3 Amp max.


Relay 1 Common – 30 Volt, 3 Amp max.

Relay 1 Normally Closed – 30 Volt, 3 Amp max.

Relay 1 Normally Open – 30 Volt, 3 Amp max.

Microphone Power and Back-up Battery POSITIVE for
Phone System Only. (connect negative to terminal 6)

100 ft. max. with 18 AWG wire. 16 VAC Input Power
200 ft. max. with 16 AWG wire. 16 VAC Input Power
20 VA min.



Keyed-Alike Systems


Earth Ground Only (See Section 2.1.3).

Switch Input. A closure between terminals 4 and 6 will cause the designated relay(s) to activate for the programmed strike time – see 3.2.7. External Postal Switch is connected here, section 1.4.


Microphone Input.

Common for switch input #4, Microphone, Speaker and Back-up Battery NEGATIVE.


Speaker Output.




Keyed-Alike Systems




Keyed-Alike Systems



Keyed-Alike Systems



Keyed-Alike Systems



Keyed-Alike Systems




The CH751 key



The CH751 key




Keyed-Alike Systems



All Shopping Maps Images Videos More Search tools

SafeSearch



Keyed-Alike Systems



Keyed-Alike Systems



Keyed-Alike Systems



[illegible]

Dev's Everyday Carry Keyring



FEO-K1

Dev's Everyday Carry Keyring



FEO-K1
C415A

Dev's Everyday Carry Keyring



FEO-K1

C415A

CH751

A collection of various keys and a lock cylinder are scattered on a white surface. The items include a silver key with 'WESSON' engraved on the bow, a brass key with 'JKS' on the bow, a silver key with 'DO NOT' on the bow, and a red key with '52' on the bow. There is also a silver lock cylinder and a black key with a silver wire attached. A red arrow points to the bottom right corner of the image.

1284X



Dev's Everyday Carry Keyring



FEO-K1

C415A

CH751

1284X

Jigglers

Dev's Everyday Carry Keyring



FEO-K1

C415A

CH751

1284X

Jigglers

Wire Loop

[illegible]

16120

A collection of various keys and a lock cylinder are scattered on a white surface. The items include a silver metal key with 'NOSSE M' and '3 M' engraved on its bow, a gold key with 'JKS' on its bow, a silver key with 'DO NOT' on its bow, a red key with '5' on its bow, and a small, thin metal key. A red arrow points to the small, thin metal key.

FEO-K1
C415A
CH751
1284X
Jigglers
Wire Loop
16120
222343

[illegible]

Cuff Key

A collection of various keys and a lock cylinder are scattered on a plain white surface. The items include: a silver metal key with a circular head engraved with 'WESSON'; a large gold-colored key with 'JKS' on its head; a red metal key with '5050' on its head; a silver metal key with a notched head; a small silver metal key; a black plastic keychain with two silver metal wires protruding from its bottom; and a silver metal lock cylinder with 'DO NOT' engraved on its top. The keys are of different shapes and sizes, suggesting they belong to different locks or are part of a set.

Cuff Key



Learn to Attack Electronic Credentials



Attacking Electronic Credentials



Attacking Electronic Credentials



Attacking Electronic Credentials



Attacking Electronic Credentials




Attacking Electronic Credentials



Attacking Electronic Credentials



Attacking Electronic Credentials




Story Time with Deviant



Just Look Like You Belong There



Just Look Like You Belong There



Story Number One — Elevator Repair




We Entered the Building by Attacking a REX Sensor



Elevator Technician is a Great Cover Story



A Metal Contractor Clipboard is Awesome, By The Way



A Metal Contractor Clipboard is Awesome, By The Way



A Metal Contractor Clipboard is Awesome, By The Way



Teammate Had to Go Back to Hotel



I've Got Nothing But Time




I've Got Nothing But Time




Things at the Hotel Were Going Slowly



Things at the Hotel Were Going Slowly



Then I Nearly had a Heart Attack



I Figured it Must Be The Cleaners



It Wasn't



It Wasn't



Fortunately, I'm a Friendly Elevator Technician



"I'll Have to Check the Elevator Controller in Here"



Who Wouldn't Want to Keep the Elevators Working?



Story Number Two – The Armed Guards



A Lot of the Time, Guards are Rather Untrained



A Lot of the Time, Guards are Rather Untrained



Armed Guards are Usually More On the Ball



We Needed to Grab Credentials



We Needed to Grab Credentials



We Needed to Grab Credentials



What Does Every Armed Guard Think About Becoming?



What Does Every Armed Guard Think About Becoming?



Send in a Cop!



Meanwhile, Babak is Still Out in the Car



Rob Keeps Trying, The Guards Keep Blading



Time to Wrap it Up and Say Goodbye




Surprise Hug!



Robert Comes Back to the Car



We Checked the Logs



Now Whose Permissions Did We Have?



Story Number Three — The Cable Technicians




Preliminary Recon



"Look Like You Belong There"



"Look Like You Belong There"



The Cable Technicians



The Cable Technicians



The Cable Technicians



The Cable Technicians



What Would You Do?



Make a New Friend!



We're Totally Legit... Trust Us.



Do You Think He Verified Our Story?



Later, Inside the Office



The Client Actually Pulled the Dispatch Tickets

SECURITY PATROL
&
DISPATCH REPORT

TIME: 1:15 DATE: 10/1/01
ADDRESS: 200 S. Main St
CITY: Somerville MA
SUITE: 14 FLOOR: N/A
ZONE OR ALERT: Door J-21

IS THIS COUNTED AS A SITE CHECK?
E 3 YES ☒ NO

ARRIVAL TIME: 1:35
CLEAR TIME: 1:41

DISPOSITION OF CALL:
Door locked. No signs of forced
entry. All clear

MEMO NOTES:

SIGNATURE: *AKI Jones*

The Client Actually Pulled the Dispatch Tickets

SECURITY PATROL & DISPATCH REPORT	
TIME: 1:15	DATE: 10/21/01
ADDRESS: 200 S. Main St.	
CITY: San Jose CA	
SUITE: 17	FLOOR: N/A
ZONE OR ALERT: Door J-21	
IS THIS COUNTED AS A SITE CHECK? E 3 YES <input checked="" type="checkbox"/> NO	
ARRIVAL TIME: 1:35	
CLEAR TIME: 1:41	
DISPOSITION OF CALL: Door locked. No signs of forced entry. All clear.	
MEMO NOTES:	
SIGNATURE: Rhd Jones	

SECURITY PATROL & DISPATCH REPORT	
TIME: 1:47	DATE: 10/21/01
ADDRESS: 200 S. Main St.	
CITY: San Jose CA	
SUITE: 17	FLOOR: N/A
ZONE OR ALERT: Door J-21	
IS THIS COUNTED AS A SITE CHECK? E 3 YES <input checked="" type="checkbox"/> NO	
ARRIVAL TIME: 2:12	
CLEAR TIME: 2:17	
DISPOSITION OF CALL: Door locked. No signs of forced entry. All clear.	
MEMO NOTES: Same door as earlier	
SIGNATURE: Rhd Jones	

The Client Actually Pulled the Dispatch Tickets

SECURITY PATROL
&
DISPATCH REPORT

TIME: 1:15 DATE: 2012/03/01
ADDRESS: 200 S Main St
CITY: Sunnyvale CA
SUITE: 17 FLOOR: N/A
ZONE OR ALERT: Door J-21

IS THIS COUNTED AS A SITE CHECK?
E 3 YES ☒ NO

ARRIVAL TIME: 1:35
CLEAR TIME: 1:41

DISPOSITION OF CALL:
Door locked. No signs of forced entry. All clear.

MEMO NOTES:

SIGNATURE: *Red Jones*

SECURITY PATROL
&
DISPATCH REPORT

TIME: 1:47 DATE: 2012/03/01
ADDRESS: 200 S Main St
CITY: Sunnyvale CA
SUITE: 17 FLOOR: N/A
ZONE OR ALERT: Door J-21

IS THIS COUNTED AS A SITE CHECK?
E 3 YES ☒ NO

ARRIVAL TIME: 2:12
CLEAR TIME: 2:17

DISPOSITION OF CALL:
Door locked. No signs of forced entry. All clear.

MEMO NOTES:
Same door as earlier

SIGNATURE: *Red Jones*

SECURITY PATROL
&
DISPATCH REPORT

TIME: 2:21 DATE: 2012/03/01
ADDRESS: 200 S Main St
CITY: Sunnyvale CA
SUITE: 17 FLOOR: ground
ZONE OR ALERT: Door J-21!

IS THIS COUNTED AS A SITE CHECK?
E 3 YES ☒ NO

ARRIVAL TIME: 2:45
CLEAR TIME: 2:49

DISPOSITION OF CALL:
Door still locked. Still no signs of forced entry.

MEMO NOTES:
Door sensor may need to be serviced.

SIGNATURE: *Red Jones*

The Client Actually Pulled the Dispatch Tickets



SECURITY PATROL & DISPATCH REPORT	
TIME: 1:15	DATE: 2012/03/01
ADDRESS: 200 S Main St	
CITY: Sunnyvale CA	
SUITE: 17	FLOOR: N/A
ZONE OR ALERT: Door J-21	
IS THIS COUNTED AS A SITE CHECK? E 3 YES <input checked="" type="checkbox"/> NO	
ARRIVAL TIME: 1:36	
CLEAR TIME: 1:41	
DISPOSITION OF CALL: Door locked. No signs of forced entry. All clear.	
MEMO NOTES:	
SIGNATURE: Rick Jones	

SECURITY PATROL & DISPATCH REPORT	
TIME: 1:47	DATE: 2012/03/01
ADDRESS: 200 S Main St	
CITY: Sunnyvale CA	
SUITE: 17	FLOOR: N/A
ZONE OR ALERT: Door J-21	
IS THIS COUNTED AS A SITE CHECK? E 3 YES <input checked="" type="checkbox"/> NO	
ARRIVAL TIME: 2:12	
CLEAR TIME: 2:17	
DISPOSITION OF CALL: Door locked. No signs of forced entry. All clear.	
MEMO NOTES: Same door as earlier	
SIGNATURE: Rick Jones	

SECURITY PATROL & DISPATCH REPORT	
TIME: 2:21	DATE: 2012/03/01
ADDRESS: 200 S Main St	
CITY: Sunnyvale CA	
SUITE: 17	FLOOR: ground
ZONE OR ALERT: Door J-21!	
IS THIS COUNTED AS A SITE CHECK? E 3 YES <input checked="" type="checkbox"/> NO	
ARRIVAL TIME: 2:45	
CLEAR TIME: 2:49	
DISPOSITION OF CALL: Door still locked. Still no signs of forced entry.	
MEMO NOTES: Door sensor may need to be serviced.	
SIGNATURE: Rick Jones	

SECURITY PATROL & DISPATCH REPORT	
TIME: 2:49	DATE: 2012/03/01
ADDRESS: 200 S Main St	
CITY: Sunnyvale CA	
SUITE: 17	FLOOR: ground
ZONE OR ALERT: Door J-21	
IS THIS COUNTED AS A SITE CHECK? E 3 YES <input checked="" type="checkbox"/> NO	
ARRIVAL TIME: 3:03	
CLEAR TIME: 3:22	
DISPOSITION OF CALL: Can't find any signs of forced entry. Verizon is working in the building and may have propped door open.	
MEMO NOTES: Instructed Verizon field technicians to keep all doors closed. After 30 seconds they will alert.	
SIGNATURE: Rick Jones	


The Client Actually Pulled the Dispatch Tickets

		SECURITY PATROL & DISPATCH REPORT	
TIME: 2:49	DATE: 2017/03/01		
ADDRESS: 200 S Mathilda Ave			
CITY: Sunnyvale CA			
SUITE: 17	FLOOR: ground		
ZONE OR ALERT: Door J-21			
IS THIS COUNTED AS A SITE CHECK? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			
ARRIVAL TIME: 3:03			
CLEAR TIME: 3:22			
DISPOSITION OF CALL: Can't find any signs of forced entry. Verizon is working in the building and may have propped door open.			
MEMO NOTES: Instructed Verizon field technicians to keep all doors closed...or after 30 seconds they will alert			
SIGNATURE: 			

Who Wouldn't Trust Us?



Quiz Time... You Were Paying Attention, Right?



Look Around You



Look Around You



Look Around You




Look Around You



Look Around You




Look Around You



Look Around You



Look Around You



Look Around You



Look Around You



Look Around You



Look Around You



Look Around You



DoorKing System telephony box



16120 Keyed Lock



HID Proxcard II



A Terrible Lockbox (it was for delivery access)



Realtor Style Keybox (Kidde AccessPoint 001414 KeySafe)



What's This?



Another Keybox (Kidde AccessPoint 001267 / Supra S7)



Anything Else?



We Can See Their Brand of Elevator Fixtures



Keep Physical Attacks in Mind




Physical Attacks



Physical Attacks



Physical Attacks



Stay Safe Out There!



Thank You Very Much

delta@enterthecore.net
at the office

@deviantollam
on twitter

"whiskey, neat"
at the bar

